Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	84	(rds radio adj data adj system\$1) near5 receiv\$3 and (@rlad<="19960626" @ad<="19960626") and ("370"/\$. ccls. "455"/\$.ccls.)	US-PGPUB; USPAT	OR	OFF	2005/03/16 13:55
L8	48	(rds radio adj data adj system\$1) adj decod\$3 and (@rlad<="19960626" @ad<="19960626")	US-PGPUB; USPAT	OR	OFF	2005/03/16 13:55
S4	37	(rds rdbs radio adj data adj2 system\$1) and ("370"/\$.ccls. "709"/\$.ccls. "455"/\$.ccls.) and (@rlad<="19960626" @ad<="19960626") and repetition	US-PGPUB; USPAT	OR	OFF	2005/02/25 18:38
S5	2	(program adj service adj name radio adj text) and (repeat\$3 repetition) with type\$1 and (@rlad<="19960626" @ad<="19960626")	US-PGPUB; USPAT	OR	OFF	2005/02/25 18:46
\$6	2	(program adj service adj name radio adj text) and (repeat\$3 repetition\$1) with type\$1 and (repeat\$3 repetition\$1)and (@rlad<="19960626" @ad<="19960626")	US-PGPUB; USPAT	OR	OFF	2005/02/25 18:44
S8	3	(program adj service adj name radio adj text) and (repeat\$3 repetition) same type\$1 and (@rlad<="19960626" @ad<="19960626")	US-PGPUB; USPAT	OR	OFF	2005/02/25 18:46
S9	98	(message data) near3 (repetition repeat\$3) with (class type) and (@rlad<="19960626") and ("370"/\$ "709"/\$ "714"/\$ "455"/\$).ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/26 15:21
S11	7	"tonella, maurizio".in.	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/26 15:01
S16	12	thomson.asn. and radio adj data adj system\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/26 15:04
S18	15	(rds rdbs radio adj data adj system\$1) and (repeat\$3 repetition\$1)	EPO .	OR	OFF	2005/02/26 15:07
S19	6	(rds rdbs radio adj data adj system\$1) and (fault\$1 error\$1) near3 (receiv\$3 transmission transmit\$3 packet\$1)	EPO	OR	OFF	2005/02/26 15:08

S23	57	(rds rdbs radio adj data adj system\$1).ab,ti,bsum. and (fault\$1 error\$1) near3 (receiv\$3 transmission transmit\$3 packet\$1) and (@ad<="19960626" @rlad<="19960626")	US-PGPUB; USPAT	OR	OFF	2005/02/26 15:15
S25	27	(repetition repeat\$3) adj3 (rate\$1 frequenc\$3) and (@ad<="19960626" @rlad<="19960626") and (rds rdbs radio adj data radio adj text). ab,ti,bsum.	US-PGPUB; USPAT	OR	OFF	2005/02/26 15:19
S26	24	(repetition repeat\$3) adj3 (rate\$1 frequenc\$3) and (@ad<="19960626" @rlad<="19960626") and (radio adj data adj system\$1 radio adj text)	US-PGPUB; USPAT	OR	OFF	2005/02/26 15:23
S27	27	(message data) near3 (repetition repeat\$3) with (class adj type\$1 data adj type\$1) and (@rlad<="19960626")	US-PGPUB; USPAT	OR	OFF	2005/02/26 15:24
S41	55	radio adj data adj system\$1 and consecutive\$2	US-PGPUB; USPAT	OR	OFF .	2005/03/06 12:44
S42	1	(radio adj data rds) and (repeat\$3 repetition) near3 consecutive\$2 and (@rlad<="19960626")	US-PGPUB; USPAT	OR	OFF	2005/03/06 12:46
S43	9	(radio adj data rds) and (repeat\$3 repetition) with consecutive\$2 and (@rlad<="19960626")	US-PGPUB; USPAT	OR	OFF	2005/03/06 13:49
S52	29	radio adj data adj system\$1 and discriminat\$3 and (@rlaD<="19960226" @ad<="19960226")	US-PGPUB; USPAT	OR	OFF	2005/03/06 15:49
S54	66	data adj type\$1 near7 (repeat\$3 repetition\$1 duplicat\$3) and (@rlaD<="19960226" @ad<="19960226")	US-PGPUB; USPAT	OR	OFF	2005/03/06 15:54
S55	1	received adj2 data adj type\$1 with (repeat\$3 repetition\$1 duplicat\$3) and (@rlaD<="19960226" @ad<="19960226")	US-PGPUB; USPAT	OR	OFF	2005/03/06 15:51
S60	27	identify\$3 adj3 type\$1 near7 (repeat\$3 repetition\$1 duplicat\$3) and (@rlaD<="19960226" @ad<="19960226")	US-PGPUB; USPAT	OR	OFF	2005/03/06 15:59

S61	10	identify\$3 near4 repetition\$1 and (@rlaD<="19960226" @ad<="19960226") and "370"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/06 16:01
S63	175	radio adj data adj system\$1 and receiver\$1 and (@rlad<="19960626" @ad<="19960626")	US-PGPUB; USPAT	OR	OFF	2005/03/06:16:12
S64	18	radio adj data adj system\$1 and receiver\$1 with (message data) near4 type\$1 and (@rlad<="19960626")	US-PGPUB; USPAT	OR	OFF	2005/03/06 16:18
S65	10	receiv\$3 same repetition near2 identif\$4 and (@rlad<="19960626" @ad<="19960626") and ("455"/\$ "370"/\$).ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/06 16:19
S66	32	repetition near4 (type\$1 class\$2) and (@rlad<="19960626" @ad<="19960626") and ("455"/\$ "370"/\$).ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/06 16:35
S69	44	repetition near4 (type\$1 class\$2) and (@rlad<="19960626" @ad<="19960626")	EPO; JPO	OR	OFF	2005/03/06 16:37
S72	7	(packet\$1 data messaage) near4 (type\$1 class\$2) with times near3 received and (@rlad<="19960626" @ad<="19960626")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/12 15:27
S76	4	(packet\$1 data messaage) near2 (type\$1 class\$2) same number adj2 times near3 received and (@rlad<="19960626" @ad<="19960626")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/12 15:29
S79	40	(packet\$1 data messaage) near2 (type\$1 class\$2) same repetition\$1 and (@rlad<="19960626" @ad<="19960626") and ("370"/\$ "714"/\$).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/12 16:37
S80	15	(packet\$1 data messaage) near2 (type\$1 class\$2) with repetition\$1 and (@rlad<="19960626" @ad<="19960626") and ("370"/\$ "714"/\$).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/12 15:30
S81	12	(packet\$1 data messaage) near2 (type\$1 class\$2) same received near5 (repeated repetition\$1) and (@rlad<="19960626" @ad<="19960626")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/12 16:31

	 -			, 		
S83	56	(packet\$1 data messaage) near4 (type\$1 class\$2) same repetition\$1 and (@rlad<="19960626" @ad<="19960626") and ("370"/\$ "714"/\$).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/12 16:37
S87	67	packet\$1 near4 received near4 (repetition repeated) and (@rlad<="19960626" @ad<="19960626") and ("370"/\$ "714"/\$).ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/12 16:46
S88	8	packet\$1 near4 received near4 (number adj times) and (@rlad<="19960626" @ad<="19960626") and ("370"/\$ "714"/\$).ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/12 16:47
S89	3	received near4 (number adj times) with (type\$1 class\$2) and (@rlad<="19960626" @ad<="19960626") and ("370"/\$ "714"/\$).ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/12 16:48
S90	9	received near4 (number adj times) with (type\$1 class\$2) and (@rlad<="19960626" @ad<="19960626")	US-PGPUB; USPAT	OR	OFF	2005/03/12 16:58
S91	46	received near4 (number adj times) and (packet\$1 message) near2 (type\$1 class\$2) and (@rlad<="19960626" @ad<="19960626")	US-PGPUB; USPAT	OR	OFF	2005/03/12 16:58